



SIZE AND LAMINATIONS AVAILABLE

T200X Thickness Chart
 STANDARD SHEET = 90" x 117" Bead Direction
 = 73.125 Square Feet

<u>Total Plate Thickness</u>	<u>Base Plate Thickness</u>	<u>Overlay Thickness</u>	<u>Lbs. Per Sheet</u>	<u>Lbs. Per Sheet</u>
Single Overlay				
5/16"	3/16"	1/8"	932	12.75
3/8"	1/4"	1/8"	1119	15.31
7/16"	5/16"	1/8"	1305	17.85
1/2"	3/8"	1/8"	1492	20.41
5/8"	1/2"	1/8"	1865	25.51
3/4"	5/8"	1/8"	2238	30.62
7/8"	3/4"	1/8"	2611	35.72
7/16"	1/4"	3/16"	1305	17.85
1/2"	5/16"	3/16"	1492	20.41
9/16"	3/8"	3/16"	1678	22.95
11/16"	1/2"	3/16"	2051	28.06

13/16"	5/8"	3/16"	2424	33.16
15/16"	3/4"	3/16"	2797	38.26
1/2"	1/4"	1/4"	1492	20.41
9/16"	5/16"	1/4"	1678	22.95
5/8"	3/8"	1/4"	1856	25.39
3/4"	1/2"	1/4"	2238	30.62
7/8"	5/8"	1/4"	2611	35.72
1"	3/4"	1/4"	2984	40.82
<u>Total Plate Thickness</u>	<u>Base Plate Thickness</u>	<u>Overlay Thickness</u>	<u>Lbs. Per Sheet</u>	<u>Lbs. Per Sheet</u>
<u>Double Overlay</u>				
9/16"	1/4"	5/16"	1678	22.95
5/8"	5/16"	5/16"	1865	25.51
11/16"	3/8"	5/16"	2051	28.06
13/16"	1/2"	5/16"	2424	33.16
15/16"	5/8"	5/16"	2797	38.26
1-5/16"	1"	5/16"	3917	53.57
11/16"	5/16"	3/8"	2051	28.06
3/4"	3/8"	3/8"	2238	30.62
7/8"	1/2"	3/8"	2611	35.72
1"	5/8"	3/8"	2984	40.82
1-1/4"	7/8"	3/8"	3732	51.03
1/2"	1/4"	1/4"	1492	20.41

5/8"	3/8"	1/4"	1865	25.51
<u>Triple Overlay</u>				
<u>Total Plate Thickness</u>	<u>Base Plate Thickness</u>	<u>Overlay Thickness</u>	<u>Lbs. Per Sheet</u>	<u>Lbs. Per Sheet</u>
1"	1/2"	1/2"	2985	40.82
*Approximate weight, may vary due to tolerances				